

CLASSIFICATION: 12 24 3.00 FURNISHINGS : ROLLER WINDOW SHADES

PRODUCT DESCRIPTION: EnviroScreen 802: Cradle to Cradle certified. Metallized polyester screen for roller blinds / roller shades. Combines a high reflectance of heat from sunlight with a good (one-way) view through. Provides heat insulation thanks to the low-E coating. Made out of polyester yarns with textile appearance. Flame retardant. High environmental standard. Recyclable.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
ENVIROSCREEN [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK
POLYURETHANE LT-UNK ORGANOPHOSPHOROUS FLAME RETARDANTS
(OPFRS) UNK ALUMINUM LT-P1 | RES | END | PHY]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Environmental friendly Blind / Shading fabric based on woven polyester with a reflective aluminum coating. EnviroScreen is compliant to Cradle to Cradle Bronze v3, REACH, Oekotex 100 class IV, Greenguard Gold, ISO14001 and RoHS2. Pending for Healthy Hospitals Initiative. PVC-free, phthalate-free, halogen-free, free of bromine based and antimony trioxide based flame retardants, biocides-free.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified
Multi-attribute: Cradle to Cradle
Multi-attribute: GreenScreen benchmark + Healthier Hospitals safer chemicals challenge for Healthy Interiors
Multi-attribute: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2017-02-07

PUBLISHED DATE: 2018-12-14

EXPIRY DATE: 2020-02-07



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ENVIROSCREEN

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals common for polyester yarns are not considered

OTHER PRODUCT NOTES: Woven polyester fabric with aluminium coating

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2017-02-07

#: 95.0000 - 97.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: base fabric

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Polyester filament yarns

POLYURETHANE

ID: 64440-88-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2017-02-07

#: 1.0000 - 5.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: finishing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Polyurethane Dispersion

ORGANOPHOSPHOROUS FLAME RETARDANTS (OPFRS)

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2017-02-07

#: 1.0000 - 5.0000

GS: UNK

RC: None

NANO: No

ROLE: Flame Retardant

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2017-02-07**%: **0.1000 - 0.5000**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **reflective coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: High purity metallic aluminum coating applied by Physical Vapor Deposition.
Adhesion according to ISO 2409 classification 0 (no detachment of coating)

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**
ISSUE DATE: **2008-09-15** EXPIRY DATE: **2019-09-15** CERTIFIER OR LAB: **UL**
APPLICABLE FACILITIES: **All**
CERTIFICATE URL: <https://spot.ul.com/>
CERTIFICATION AND COMPLIANCE NOTES: **Certificate 5450-420**

MULTI-ATTRIBUTE

Cradle to Cradle

CERTIFYING PARTY: **Third Party**
ISSUE DATE: **2015-10-05** EXPIRY DATE: **2019-12-03** CERTIFIER OR LAB: **C2C Product Innovation Institute**
APPLICABLE FACILITIES: **EIG & ARCHE**
CERTIFICATE URL: <https://www.c2ccertified.org/>
CERTIFICATION AND COMPLIANCE NOTES: **EnviroScreen Optimum is Cradle to Cradle v.3 Certified Bronze**

MULTI-ATTRIBUTE

GreenScreen benchmark + Healthier Hospitals safer chemicals challenge for Healthy Interiors

CERTIFYING PARTY: **Third Party**
ISSUE DATE: EXPIRY DATE: CERTIFIER OR LAB:
APPLICABLE FACILITIES:
CERTIFICATE URL:
CERTIFICATION AND COMPLIANCE NOTES: **Pending**

MULTI-ATTRIBUTE

ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CERTIFYING PARTY: **Self-declared**
ISSUE DATE: **2016-03-23** EXPIRY DATE: CERTIFIER OR LAB: **none**
APPLICABLE FACILITIES: **all**
CERTIFICATE URL:
CERTIFICATION AND COMPLIANCE NOTES:

MULTI-ATTRIBUTE

REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CERTIFYING PARTY: **Self-declared**
ISSUE DATE: **2018-06-19** EXPIRY DATE: CERTIFIER OR LAB: **none**
APPLICABLE FACILITIES: **all**
CERTIFICATE URL: <https://echa.europa.eu/>
CERTIFICATION AND COMPLIANCE NOTES:

MANAGEMENT

ISO 14001:2004 Environmental management systems

CERTIFYING PARTY: **Third Party**
ISSUE DATE: **2018-02-01** EXPIRY DATE: **2019-02-01** CERTIFIER OR LAB: **Tuv Rheinland**
APPLICABLE FACILITIES: **All**
CERTIFICATE URL: <https://www.tuv.com>
CERTIFICATION AND COMPLIANCE NOTES:

CERTIFYING PARTY: **Third Party**ISSUE DATE: **2008-**EXPIRY DATE: **2019-**CERTIFIER OR LAB: **Hohenstein**APPLICABLE FACILITIES: **All****03-31****03-31**CERTIFICATE URL: <https://www.oeko-tex.com>CERTIFICATION AND COMPLIANCE NOTES: **OEKO-TEX Standard 100 Class IV Certificate 15.HNL.57853**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ENVIROSCREEN 802

HPD URL: <https://verosol.com/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Maintenance: Dust can be removed with a soft feather duster or by vacuum-cleaning with a soft brush at the lowest position.



Section 5: General Notes

EnviroScreen distinguishes itself from competitor products: - the greener choice: Free from PVC, plasticizers, halogens, biocides and toxic flame retardants. Cradle 2 Cradle and many other environmental certifications - highest solar reflectance for PVC-free based shade screen fabric - low-E coating as heat barrier - visual comfort and one-way view through - high energy saving potential - meets the highest fire safety standards



MANUFACTURER INFORMATION

MANUFACTURER: **Verosol**

ADDRESS: **Kieftte 18**

Eibergen Gelderland 7151HZ, The Netherlands

WEBSITE: **www.verosol.com**

CONTACT NAME: **Robert Kuipers**

TITLE: **manager R&D**

PHONE: **+31545463333**

EMAIL: **r.kuipers@verosol.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.